

Lab Sr. no.	Date	Received through Email/Phone	Daily Sr No.	Source	Sodium Thiosulphate	MPN	Final report (72Hrs)	Reported on	Result
4258	26-Dec	Samples received from Assistant Engineer, Shimla Jal Prabandhan Nigam Ltd.	1	kasumpti reservoir	added	MPN=0	-	28-Dec	Excellent
4259			2	p.tap near shiv mandir middle bazar	added	MPN=0	-	28-Dec	Excellent
4260			3	khalini chowk	added	MPN=0	-	28-Dec	Excellent
4261			4	p. tap near bypass khalini	added	MPN=0	-	28-Dec	Excellent
4262			5	p.tap panchaita jhangiri	added	MPN=0	-	28-Dec	Excellent
4263			6	p.tap near kandal niwas jhangiri	added	MPN=0	-	28-Dec	Excellent
4264			7	sanjauli reservoir	added	MPN=0	-	28-Dec	Excellent
4265			8	sanjuali giri inlet	added	MPN=0	-	28-Dec	Excellent
4266	26-Dec	Samples Received under Hepatitis Project Community Medicine IGMC Shimla	1	ridge tank	added	MPN=0	-	28-Dec	Excellent
4267			2	mains field tank	added	MPN=0	-	28-Dec	Excellent
4268			3	BHARARI TANK	added	MPN=0	-	28-Dec	Excellent
4269			4	dhali tank	added	MPN=0	-	28-Dec	Excellent
4270			5	chakkar tank	added	MPN=0	-	28-Dec	Excellent
4271			6	knowlls wood tank	added	MPN=0	-	28-Dec	Excellent
4272			7	jahkoo tank	added	MPN=0	-	28-Dec	Excellent
4273			8	sargeen tank	added	MPN=0	-	28-Dec	Excellent
4274			9	bowari near hotel dhruv	nil	MPN=0	-	28-Dec	Excellent
4275			10	bowari shangti	nil	MPN=01			
4276			11	pub. Tap near lift	added	MPN=0	-	28-Dec	Excellent
4277			12	pub tap samsung mall road	added	MPN=0	-	28-Dec	Excellent