

**Water samples tested in Department of Microbiology IGMC, Shimla**

Lab Sr. no.	Date	Received through Email/Phone No.	Daily Sr No.	Source	Site	Na thiosulphate	PCC	Final report (72Hrs)	Reported on	Result
1897	17-Aug	Samples received from Corporation Health Officer, Municipal Corporation Shimla, Shimla(H.P)	1	Dhingo Mandir tank (upper)	-	added	MPN=1		20-Aug	satisfactory
1898			2	Dhingo Mandir tank (lower)	-	added	0		19-Aug	Excellent
1899			3	main supply from Dhingoo mandir tank(upper)	-	added	0		19-Aug	Excellent
1900			4	kasumpati reservoir	-	added	0		19-Aug	Excellent
1901			5	P.Tap Near Lakkar bajar chowk	-	added	0		19-Aug	Excellent
1902			6	sanjauli tank inlet from gumma	-	added	0		19-Aug	Excellent
1903			7	sanjauli tank inlet from giri	-	added	0		19-Aug	Excellent
1904			8	sanjauli reservoir	-	added	0		19-Aug	Excellent
1905	17-Aug	Samples Received under Hepatitis Project Community Medicine IGMC Shimla	1	Ridge tank shimla	-	added			20-Aug	Excellent
1906			2	Mains Field Tank	-	added			20-Aug	Excellent
1907			3	Public Tap Dhalli Near GSSS	-	nil			20-Aug	Excellent
1908			4	dhalli tank	-	added			20-Aug	Excellent
1909			5	tavi tank	-	added			20-Aug	Excellent
1910			6	Phase III tank, near block 6R7	-	added			20-Aug	Excellent
1911			7	Jhaku Tank	-	added	MPN=25		20-Aug	
1912			8	Bowari Malyana	-	nil	MPN=180		20-Aug	unsatisfactory

1913			9	knollswood tank	-	added			20-Aug	Excellent
1914			10	Public tap Khalini chowk Ist	-	nil			20-Aug	Excellent
1915			11	Public tap Khalini Chowk IInd	-	nil			20-Aug	Excellent
1916			12	Bowari Dhobi Ghat	-	nil	MPN=180+		20-Aug	unsatisfactory
1917	18-Aug	Samples received from Corporation Health Officer, Municipal Corporation Shimla, Shimla(H.P)	1	TARA MATA MANDIR TANK. Bcs	-	added				Excellent
1918			2	new shimla sec 111 tank (new)	-	added				Excellent
1919			3	p.tap negi market new shimla sec 3	-	added				Excellent
1920			4	MC ofc tap, new shimla sec 2	-	added				Excellent
1921			5	kasumpti reservior	-	added				Excellent
1922			6	sanjauli reservior	-	added				Excellent
1923			7	sanjauli tank inletfrom (gumma)	-	added				Excellent
1924			8	sanjauli tank inlet from(giri)	-	added				Excellent
1925	18-Aug	Samples Received under Hepatitis Project Community Medicine IGMC Shimla	1	Ridge tank shimla	-	added	MPN=01		20-Aug	
1926			2	mains field tank	-	added			20-Aug	Excellent
1927			3	bharari tank	-	added			20-Aug	Excellent
1928			4	dhalli tank	-	added			20-Aug	Excellent
1929			5	chakkar tank	-	added	MPN=1		20-Aug	
1930			6	knolls wood tank	-	added			20-Aug	Excellent
1931			7	jakhu tank	-	added			20-Aug	Excellent
1932			8	vikasnagar tank	-	added			20-Aug	Excellent
1933			9	bawari malyana	-	nil	MPN=180+		20-Aug	unsatisfactory
1934			10	bawari housing board	-	nil	MPN=180+		20-Aug	unsatisfactory
1935			11	hand pump navbahar 1	-	nil	MPN=3		20-Aug	
1936			12	hand pump navbahar 2	-	nil	MPN=180+		20-Aug	unsatisfactory