

| Lab Sr. no. | Date | Received through Email/Phone No | Daily Sr No. | Source | Sodium Thiosulphate | MPN | Final report (72Hrs) | FINAL REPORTING DATE | Result |
|-------------|----------|---|--------------|--|---------------------|--------|------------------------------------|----------------------|----------------|
| 3689 | 23/07/19 | Samples received from Assistant Engineer, Shimla Jal Prabandhan Nigam Ltd | 1 | KASUMPATI RESERVOIR | added | MPN=0 | thermotolerant E.coli not detected | 26-09-19 | excellent |
| 3690 | | | 2 | P.TAP NEAR MC OFFICE NEW SHIMLA | added | MPN=0 | thermotolerant E.coli not detected | 26-09-19 | excellent |
| 3691 | | | 3 | SECTOR 4 TANK NEW SHIMLA | added | MPN=0 | thermotolerant E.coli not detected | 26-09-19 | excellent |
| 3692 | | | 4 | P.TAP NEAR KRANTI CHOWK NEW SHIMLA | added | MPN=0 | thermotolerant E.coli not detected | 26-09-19 | excellent |
| 3693 | | | 5 | SECTOR 1 TANK NEW SHIMLA | added | MPN=1 | thermotolerant E.coli not detected | 26-09-19 | satisfactory |
| 3694 | | | 6 | TARA MATA MANDIR TANK BCS | added | MPN=0 | thermotolerant E.coli not detected | 26-09-19 | excellent |
| 3695 | | | 7 | KNOLLSWOOD TANK | added | MPN=1 | thermotolerant E.coli not detected | 26-09-19 | satisfactory |
| 3696 | | | 8 | SANJAULI RESERVOIR | added | MPN=0 | thermotolerant E.coli not detected | 26-09-19 | excellent |
| 3697 | 23-07-19 | Samples Received under Hepatitis Project Community Medicine IGMC Shimla | 1 | Ridge tank | added | MPN=0 | | 25-07-19 | excellent |
| 3698 | | | 2 | mains field tank | added | MPN=0 | | 25-07-19 | excellent |
| 3699 | | | 3 | Bharari tank | added | MPN=1 | | 25-07-19 | |
| 3700 | | | 4 | Dhalli tank | added | MPN=1 | | 25-07-19 | |
| 3701 | | | 5 | Tavi tank | added | MPN=0 | | 25-07-19 | excellent |
| 3702 | | | 6 | Phase-3 tank | added | MPN=0 | | 25-07-19 | excellent |
| 3703 | | | 7 | Jakhoo tank rope way | added | MPN=0 | | 25-07-19 | excellent |
| 3704 | | | 8 | Vikasnagar Tank | added | MPN=1 | | 25-07-19 | |
| 3705 | | | 9 | Pub-tap Police gumti Chotta Shimla | added | MPN=0 | | 25-07-19 | excellent |
| 3706 | | | 10 | Pub-tap apna medical store chotta Shimla | added | MPN=20 | | 25-07-19 | Unsatisfactory |
| 3707 | | | 11 | Pub-tap sarvent quarter chotta shimla | added | MPN=0 | | 25-07-19 | excellent |
| 3708 | | | 12 | Pub-tap brock host chotta Shimla | added | MPN=0 | | 25-07-19 | excellent |